# Product Description Document New ICAO Space Weather Advisory Products October 1, 2019

## **Part 1 – Mission Connection**

# 1. Product Description:

The National Weather Service (NWS) Space Weather Prediction Center (SWPC), as part of its mission, creates and disseminates space weather alerts, watches, warnings, event summaries, and outlook discussion advisories. In November 2018, the International Civil Aviation Organization (ICAO) selected SWPC as one of the three global space weather centers (SWXC) to monitor and provide advisory information on space weather phenomena expected to affect high-frequency radio communications, communications via satellite, Global Navigation Satellite System (GNSS)-based navigation and surveillance systems, and/or pose a radiation risk to aircraft occupants. The SWXCs are required to disseminate advisory information regarding the extent, severity, and duration of the space weather phenomena and supply the advisory information to area aeronautical control centers, flight information centers, aerodrome meteorological offices, the other SWXCs, international operational meteorological information (OPMET) databanks, international Notices to Airmen (NOTAM) offices, and aeronautical fixed service Internet-based services.

The SWXCs are required to monitor and develop new products to issue advisory information for the following space weather phenomena:

- 1) high frequency (HF) radio communications;
- 2) communications via satellite;
- 3) GNSS-based navigation and surveillance; and,
- 4) radiation exposure at flight levels.

The space weather advisories will be disseminated in accordance with the provisions in ICAO Annex 3 *Meteorological Service for International Air Navigation* and ICAO Document 10100 *Manual on Space Weather Information in Support of International Air Navigation*. By 7 November 2019, the SWXCs are required to disseminate space weather advisory information in abbreviated plain language and, by 5 November 2020, the advisory information shall be disseminated in ICAO Meteorological Information Exchange Model (IWXXM) in eXtensible Markup Language (XML)/geography markup language (GML) data format in addition to the dissemination of this advisory information in abbreviated plain language.

#### 2. Purpose/Intended Use:

According to ICAO Doc 10100, the information and services required for safe and efficient aircraft operations will be provided by three designated SWXCs. The working principle for the SWXCs is to provide space weather advisory information that users can employ for decision-making. Some advisories will allow time for a well-considered response plan and no change to an already planned flight. The other extreme will be at the last minute, or enroute, necessitating a recalculation of a preordained flight plan. In many ways, these advisories will be similar to conventional, more familiar products and services documented in Annex 3.

The intended use of the ICAO space weather advisories is to better prepare flight crews, operators, air navigation service providers, and civil aviation authority when developing flight plans, operational procedures for managing flights in areas impacted by space weather events, situational awareness, in the broader context of managing multiple (numerous) flights to ensure safe and efficient operations, and properly integrating space weather into the existing docket of aviation considerations as prescribed actions, center requirements, and other functional necessities need to be in place to address the deleterious impacts to aviation in the State's purview.

## 3. Audience/Users:

NWS, Federal Aviation Administration (FAA), international civil aviation authorities, domestic and international commercial airlines, and private companies.

#### 4. Presentation Format:

Annex 3 introduced a requirement to issue space weather advisory information similar in structure to advisory messages issued for tropical cyclones and volcanic ash clouds. The SWXCs issue the space weather advisory that informs the user of:

- a) the type of impact;
- b) the expected onset, or that the event is already in progress;
- c) the duration of the event;
- d) a generalized description of the spatial extent affected for the next 24 hours; and
- e) a description of the severity of the impact in moderate (MOD) or severe (SEV) categories.

### 5. Feedback Method:

The NWS is accepting comments/feedback through October 1, 2019, on the provision of the [mandated] ICAO Space Weather advisory products. Comments may be provided via email to:

jennifer.meehan@noaa.gov and bruce.entwistle@noaa.gov

The content and format are established through ICAO's requirements process, with U.S. comments provided by the U.S. aeronautical meteorological authority for international

regulation, the Federal Aviation Administration. The NWS is constantly seeking to improve the products produced based on user feedback and will forward user feedback to the U.S. aeronautical meteorological authority. Customers may provide feedback through the National Space Weather Program at NWS headquarters.

Dr. Jennifer L. Meehan National Space Weather Program Lead National Weather Service Silver Spring MD 20910 Work 301-427-9798 jennifer.meehan@noaa.gov

Opportunities for face-to-face responses will occasionally occur in the context of conferences, public outreach events, etc.

# **Part 2 – Technical Description**

#### 1. Format and Science Basis:

The World Meteorological Organization (WMO) message headers (TTAAii CCCC) for the text and IWXXM Advisories are given below, noting that the ACFJ Consortium will issue advisories from two locations.

| Advisory Conton  | WMO headers   |                |  |  |
|------------------|---------------|----------------|--|--|
| Advisory Center  | Text Advisory | IWXXM Advisory |  |  |
| ACFJ - Australia | FNXX01 YMMC   | LNXX01 YMMC    |  |  |
| ACFJ - France    | FNXX01 LFPW   | LNXX01 LFPW    |  |  |
| PECASUS          | FNXX01 EFKL   | LNXX01 EFKL    |  |  |
| USA              | FNXX01 KWNP   | LNXX01 KWNP    |  |  |

The template for space weather advisory information to be disseminated can be found in the ICAO Annex 3 as shown below:

Key: (M) = inclusion mandatory, part of every message

(C) = inclusion conditional, included whenever possible

Each element begins on a new line.

|   | Element                                   | Detailed Content | Template(s)  | Examples     |
|---|---|------------------|--------------|--------------|
| 1 | Identification of the type of message (M) | Type of message  | SWX ADVISORY | SWX ADVISORY |

|    |  |  |                             | T   | 1                   | 1  |
|----|--|--|-----------------------------|---|---------------------|--|
| 2  |  | Indicator of test or exercise  | STATUS:                     | TEST OF EXER  | STATUS:             | TEST   |
| 3  |  | Year, month, day, and time in UTC  | DTG:                        | nnnnnnn/nnnnZ   | DTG:                | 20161108/0100Z   |
| 4  | Name of SWXC<br>(M)                        | Name of SWXC   | SWXC:                       | Nnnnnnnnnn  | SWXC:               | DONLON <sup>2</sup>  |
|    | Element                                    | Detailed Content   |                             | Template(s)   |                     | Examples   |
| 5  | ,  | Year in full and unique message number   | ADVISORY NR:                | nnnn/[n][n][n]n   | ADVISORY NR:        | 2016/2   |
| 6  |  | Number of the previously issued advisory being replaced  | NR RPLC:                    | nnnn/[n][n][n]n   | NR RPLC:            | 2016/1   |
| 7  | effect and intensity                       | Effect and intensity of the space weather phenomena  | SWX EFFECT:                 | HF COM MOD or SEV or SATCOM MOD or SEV or GNSS MOD or SEV or HF COM MOD or SEV AND GNSS MOD or SEV or RADIATION <sup>3</sup> MOD or SEV   | SWX EFFECT:         | HF COM MOD SATCOM SEV GNSS SEV HFCOM MOD AND GNSS MOD RADIATION MOD  |
| 8  | expected space<br>weather<br>phenomena (M) | Day and time (in UTC) of observed phenomena (or forecast if phenomena have yet to occur);  Horizontal extent <sup>3</sup> (latitude bands and longitude in degrees) and/or altitude of space weather phenomena | OBS SWX:<br>or<br>FCST SWX: | nn/nnnnZ  DAYLIGHT SIDE or  HNH and/or MNH and/or EQN and/or  EQS and/or MSH and/or HSH Wnnn(nn) or Ennn(nn) - Wnnn(nn) or Ennn(nn)  and/or  ABV FLnnn or FLnnn - nnn or  Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] -  [Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] -  Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] or  or                          | OBS SWX:            | 08/0100Z DAYLIGHT SIDE  08/0100Z HNH HSH E18000 - W18000  08/0100Z HNH HSH W18000 - W09000 ABV FL350           |
| 9  | phenomena (+6<br>HR) (M)                   | Day and time (in UTC) (6 hours from the time given in Item 8, rounded to the next full hour);  Forecast extent of the space weather phenomena for that fixed valid time  | FCST SWX +6 HR:             | NO SWX WX EXP  nn/nnnZ DAYLIGHT SIDE or HNH and/or MNH and/or EQN and/or EQS and/or MSH and/or HSH Wnnn(nn) or Ennn(nn) - Wnnn(nn) or Ennn(nn) and/or ABV FLnnn or FLnnn - nnn or Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] - Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] or Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] or NN SWX WX EXP Or NOT AVBL | FCST SWX +6<br>HR:  | 08/0700Z DAYLIGHT SIDE 08/0700Z HNH HSH E18000 - W18000 08/0700Z HNH HSH W18000 - W09000 ABV FL350             |
| 10 | phenomena (+12<br>HR) (M)                  | Day and time (in UTC) (12 hours from the time given in Item 8, rounded to the next full hour);  Forecast extent of the space weather phenomena for that fixed valid time                                       | FCST SWX +12 HR:            | nn/nnnZ  DAYLIGHT SIDE or  HNH and/or MNH and/or EQN and/or  EQS and/or MSH and/or HSH Whnn(nn) or Ennn(nn) - Wnnn(nn) or Ennn(nn) and/or  ABV FLnnn or FLnnn - nnn or  Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] -  Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] -  [Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] -  [Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] -  Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] or  NNn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] or  NN SWX WX EXP  Or  NOT AVBL | FCST SWX +12<br>HR: | 08/1300Z DAYLIGHT SIDE<br>08/1300Z HNH HSH<br>E18000 - W18000<br>08/1300Z HNH HSH<br>W18000 - W09000 ABV FL350 |
| 11 | phenomena (+18<br>HR) (M)                  | Day and time (in UTC) (18 hours from the time given in Item 8, rounded to the next full hour);  Forecast extent of the space weather phenomena for that  | FCST SWX +18 HR:            | nn/nnnZ DAYLIGHT SIDE or HNH and/or MNH and/or EQN and/or EQS and/or MSH and/or HSH Whnn(nn) or Ennn(nn) - Wnnn(nn) or Ennn(nn) and/or ABV FLnnn or FLnnn - nnn or Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] - Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] -  | FCST SWX +18<br>HR: | 08/1900Z DAYLIGHT SIDE<br>08/1900Z HNH HSH<br>E18000 - W18000<br>08/1900Z HNH HSH<br>W18000 - W09000 ABV FL350 |

|    |                           | fixed valid time   |      | Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] - [Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn] - Nnn[nn] or Snn[nn] Wnnn[nn] or Ennn[nn]] or NNO SWX WX EXP or NOT AVBL   |                     |  |
|----|---------------------------|--|------|---|---------------------|--|
|    | Element                   | Detailed Content   |      | Template(s)   |                     | Examples   |
| 12 | phenomena (+24<br>HR) (M) | Day and time (in UTC) (24 hours from the time given in Item 8, rounded to the next full hour);  Forecast extent of the space weather phenomena for that fixed valid time |      | nn/nnnz  DAYLIGHT SIDE or  HNH and/or MNH and/or EQN and/or  EQS and/or MSH and/or HSH Whnn(nn) or Ennn(nn) - Whnn(nn) or Ennn(nn) and/or  ABV FLnnn or FLnnn - nnn or  Nnn[nn] or Snn[nn] Whnn[nn] or Ennn[nn] -  Nnn[nn] or Snn[nn] Whnn[nn] or Ennn[nn] or  Nn SNN WX EXP  or  NOT AVBL | FCST SWX +24<br>HR: | 09/0100Z DAYLIGHT SIDE  09/0100Z HNH HSH E18000 - W18000  09/0100Z HNH HSH W18000 - W09000 ABV FL350 |
| 13 | Remarks (M)               | Remarks, as necessary  | RMK: | Free text up to 256 characters<br>or<br>NIL   | RMK:                | SWX EVENT HAS CEASED WWW.SPACEWEATHERPROVIDER.WEB NIL  |
| 14 |                           | Year, month, day, and time in UTC  |      | nnnnnnnn/nnnnZ<br>or<br>NO FURTHER ADVISORIES<br>or<br>WILL BE ISSUED BY nnnnnnn/nnnnZ  | NXT ADVISORY:       | 20161108/0700Z<br>NO FURTHER ADVISORIES  |

Where the following space weather effects are defined by their respective abbreviations: HF communications (HF COM); communications via satellite (SATCOM); GNSS-based navigation and surveillance degradation (GNSS); and, radiation at flight levels (increased exposure) (RADIATION). Also, the intensities are abbreviated to indicate moderate (MOD) or severe (SEV).

## Notes—

- 1. Used only when the message issued to indicate that a test or an exercise is taking place. When the word TEST or the abbreviation EXER is included, the message may contain information that should not be used operationally or will otherwise end immediately after the word TEST.
- 2. DONLAN is a fictitious location.
- 3. One or more latitude ranges should be included in the space weather advisory information for GNSS and RADIATION.

**Example: Space weather advisory message for GNSS and HFCOM effects** 

SWX ADVISORY

DTG: 20161108/0100Z

SWXC: DONLON\*

ADVISORY NR: 2016/2

NR RPLC: 2016/1

SWX EFFECT: HFCOM MOD AND GNSS MOD

08/0100Z HNH HSH E18000 - W18000 08/0700Z HNH HSH E18000 - W18000 08/1300Z HNH HSH E18000 - W18000 08/1900Z HNH HSH E18000 - W18000 OBS SWX: FCST SWX +6 HR: FCST SWX +12 HR: FCST SWX +18 HR:

FCST SWX +24 HR 09/0100Z NO SWX EXP

LOW LVL GEOMAGNETIC STORMING CAUSING INCREASED RMK:

> AURORAL ACT AND SUBSEQUENT MOD DEGRADATION OF GNSS AND HF COM AVBL IN THE AURORAL ZONE. THIS STORMING

EXP TO SUBSIDE IN THE FCST PERIOD. SEE

WWW.SPACEWEATHERPROVIDER.WEB

NXT ADVISORY: NO FURTHER ADVISORIES

## **Example: Space weather advisory message for RADIATION effects**

SWX ADVISORY

DTG: 20161108/0100Z

SWXC: DONLON\*

ADVISORY NR: 2016/2 NR RPLC: 2016/1

SWX EFFECT: RADIATION MOD

OBS SWX: 08/0100Z HNH HSH E18000 - W18000 ABV FL350

FCST SWX +6 HR: 08/0700Z HNH HSH E18000 - W18000 ABV FL350

FCST SWX +12 HR: 08/1300Z HNH HSH E18000 - W18000 ABV FL350

FCST SWX +18 HR: 08/1900Z HNH HSH E18000 - W18000 ABV FL350

FCST SWX +24 HR 09/0100Z NO SWX EXP

RADIATION LVL EXCEEDED 100 PCT OF BACKGROUND LVL AT RMK:

FL350 AND ABV. THE CURRENT EVENT HAS PEAKED AND LVL

SLW RTN TO BACKGROUND LVL. SEE WWW.SPACEWEATHERPROVIDER.WEB

NXT ADVISORY: NO FURTHER ADVISORIES

## **Example: Space weather advisory message for HF COM effects**

SWX ADVISORY

DTG: 20161108/0100Z

SWXC: DONLON\* ADVISORY NR: 2016/1 SWX EFFECT: HF COM SEV

OBS SWX: 08/0100Z DAYLIGHT SIDE

<sup>\*</sup>Fictitious location

<sup>\*</sup>Fictitious location

FCST SWX +6 HR: 08/0700Z DAYLIGHT SIDE FCST SWX +12 HR: 08/1300Z DAYLIGHT SIDE FCST SWX +18 HR: 08/1900Z DAYLIGHT SIDE FCST SWX +24 HR 09/0100Z NO SWX EXP

RMK: PERIODIC HF COM ABSORPTION AND LIKELY TO CONT IN THE

NEAR TERM. CMPL AND PERIODIC LOSS OF HF ON THE SUNLIT SIDE OF THE EARTH EXP. CONT HF COM DEGRADATION LIKELY OVER THE NXT 7 DAYS. SEE WWW.SPACEWEATHERPROVIDER.WEB

NXT ADVISORY: 20161108/0700Z

\*Fictitious location

## 2. Training:

For a brief overview of NWS SWPC's products and services please go <u>here</u>. Descriptions of each space weather advisory and phenomena in detail are found in ICAO Doc 10100 *Manual on Space Weather Information in Support of International Air Navigation*.

# 3. Availability:

The SWXCs shall maintain a 24-hour watch. SWXC advisories will be issued as conditions warrant according to the table in Part 2, Section 1. Once an advisory is issued, it will be updated at six-hour intervals from the nearest hour *after* the advisory is issued until the space weather phenomena are no longer detected and/or are no longer expected to have an impact.